

KALINOVSKAYA, I. Ya., Cand Med Sci -- (diss) "Vestibular symptoms in acute poliomyelitis in children." Moscow, 1960. 13 pp; (Academy of Medical Sciences USSR); 200 copies; price not given; bibliography at end of text; (KL, 22-60, 144)

KALINOVSKAYA, I.Ya.

Significance of an otoneurological examination in diagnosing
acute poliomyelitis. Zhur. nevr. i psikh. 61 no.7:962-966
'61. (MIRA 15:6)

1. Institut nevrologii (dir. - prof. N.V. Konovalov) AMN
SSSR, Moskva.

(POLIOMYELITIS—DIAGNOSIS)
(VESTIBULAR APPARATUS) (NYSTAGMUS)

KALINOVSKAYA, I.Ya., kand. med. nauk

Otoneurological symptomatology in syringomyelia. Vest. otorin. 25 no.4:72-77 J1-Ag '63. (MIRA 17:1)

1. Iz Instituta nevrologii (dir. - deystvitel'nyy chlen AMN SSSR prof. N.V. Konevalov) AMN SSSR, Moskva.

L 1651-66 EWT(m)/T DS

ACCESSION NR: AP5021423

UR/0076/65/039/008/2038/2042
541.14:547.8645.2

AUTHOR: Kalinovskaya, L. A. 44,55

TITLE: Photochemical oxidation-reduction reaction of safranine-T with oxalates 14, 11, 13

SOURCE: Zhurnal fizicheskoy khimii, v. 39, no. 8, 1965, 2038-2042 44,55

TOPIC TAGS: safranine, ammonium oxalate, potassium oxalate, photochemical reaction

ABSTRACT: The photochemical reaction between safranine-T and potassium or ammonium oxalate in aqueous solution was studied. The decoloration of the solution indicated the extent of the reaction. The optical density was measured as a function of the time of exposure to light of various wavelengths, and the reaction rate was plotted as a function of the concentration of each reagent and as a function of the light intensity. It was found that the reaction involves two simultaneous processes: the forward process - photoreduction of safranine, and the reverse process - oxidation of the leuco form of safranine. There is an optimum oxygen concentration at which neither of these processes is favored. An empirical relationship was established between the reaction rate and the concentration of ammonium oxalate in the solution:

Card 1/2

L 1651-66

ACCESSION NR: AP5021423

$$\frac{\Delta D}{\Delta t} = 3720 \epsilon c_o$$

(D being the optical density of the solution, t the irradiation time, and c the concentration of ammonium oxalate). The mechanism of the photochemical oxidation-reduction reaction studied is explained by the formation of a safranine-T-oxalate molecular complex in a metastable state. Orig. art. has: 5 figures and 1 formula.

ASSOCIATION: Sevastopol'skiy priborostroitel'nyy institut (Sevastopol Instrument Engineering Institute)

SUBMITTED: 24 May 64

ENCL: 00

SUB CODE: GC

NO REF SOV: 003

OTHER: 000

Card 2/2

KALINOVSKAYA, L. K.

KALINOVSKAYA, L. K. "A Physiological Method of Avoiding Cracked Nipples in Nursing Mothers." Kiev Order of Labor Red Banner Medical Inst imeni Academician A. A. Bogomolets. Kiev, 1955. (Dissertation for the Degree of Candidate in Medical Science)

So: Knizhnaya Letopis', No. 19, 1956.

KALINOVSKAYA, R.K.

Diagnosis and course of combined lung and bone tuberculosis
in adults. Probl. tub. 42 no.10:36-41 '64.

(MJRA 18:11)

1. Dianosticheskoye otdeleniye (zav.-- prof. D.P. Aseyev)
Moskovskogo nauchno-issledovatel'skogo instituta tuberkuloza
(direktor - kand. med. nauk T.P. Moshalova) Ministerstva
zdravookhraneniya RSFSR.

PANILOV, N.Y., KALINOVSKAYA, R.K.

Effectiveness of treatment of patients with combined tuberculosis of the lungs and kidneys. Urologia no.6:3-7 '64.

(MIRA 18:11)

1. Moskovskiy nauchno-issledovatel'skiy Institut tuberkuleza (dir. - kand.med.nauk T.P.Mochalova) Ministerstva zdoravookhraneniya RSFSR.

POYEMNYY, F.A.; KALINOVSKAYA, R.Yu.

Use of diprazine in the treatment of three cases of infectious diseases of the nervous system [with summary in French]. Zhur.nevr. i psikh. 59 no.2:191-193 '59. (MIRA 12:4)

1. Kafedra nevropatologii (nav. - prof. F.A. Poyemnyy) Gor'kovskogo meditsinskogo instituta.

(PROMETHAZINE, ther. use,
brain infect. dis. (Rus))

(BRAIN, dis.
infect. dis, promethazine ther. (Rus))

KALINOVSKAYA, R.Yu.

Compound treatment of infectious chorea with salicylic preparations and aminazine. Zhur. nevr. i psikh 61 no.8: 1143-1145 '61. (MIRA 15:3)

1. Kafedra nervnykh bolezney (zav. - prof. F.A. Poyemnyy) Gor'kovskogo meditsinskogo instituta imeni S.M. Kirova. (CHLORPROMAZINE) (SALICYIC ACID) (CHOREA)

KALINOV'S^{KA} S.S.

④
✓ Kalinov's^{KA}, S. S. On convergence of mean-power approximations to Chebyshev approximations for some interpolation processes in n -dimensional space. *Dopovidi Akad. Nauk Ukrain. RSR* 1952/263-267 (1952). (Ukrainian. Russian summary)

✓ The author generalizes to several variables results of Remez for the one-variable case [cf. *Akad. Nauk Ukrain. RSR. Zbirnik Prac' Inst. Mat.* 1948, no. 10, 107-141 (1949); these Rev. 12, 93]. R. P. Boas, Jr. (Evanston, Ill).

3
0
0
0

USSR/Mathematics - Approximations

21 May 52

"Concerning the Convergence of Deviations from Polynomials of Mean-Power Approximations Toward Test Approximations," S. S. Kalinovskaya

"Dokl. Ak. Nauk SSSR" Vol. LXXIV, No. 3, pp. 437-440

Presents certain results of investigations taking into consideration the so-called new factor: the degree of refraction, so to speak, of the point set A in those points of it where the density ordinarily defined according to Lebesgue measure is equal to zero. Ye. Ya. Remes studied in the one-dimensional case the rapidity of convergence of subject deviations; but in the

225748

2-dimensional problem the introduction of an approximation region with a contour including (nonalgebraic) points of "sharpening" revealed the essential role of this new factor. Submitted by Acad. M. V. Keldysh 31 Mar 52.

225748

KALINOVSKAYA, S. S.

KALINOVSKAYA, S.S. (Moskva)

Using the elastic thin shell theory in designing arched dams.

Inzh.zhur. 1 no.2:119-125 '61.

(MIRA 14:12)

(Elastic plates and shells) (Dams)

KALINOVSKAYA, V. K.

USSR/Chemical Technology. Chemical Products and Their Application -- Food industry,
I-28

Abst Journal: Referat Zhur - Khimiya, No 2, 1957, 6621

Author: Mayboroda, N. I., Kalinovskaya, V. K., Dmitriyeva, L. V., Vospen-
nikova, A. V., Isayeva, A. V., Durakova, G. N.

Institution: Moscow Technological Institute of Meat and Dairy Industry

Title: Preparation of Dietary Products from Milk with an Increased Content
of Dry Residue

Original
Publication:

Sb. stud. rabot Mosk. tekhnol. in-t myas. i moloch. prom-sti, 1956,
No 4, 27-32

Abstract: Concentration of dry residue of milk can be increased, for the prepa-
ration of acidulous milk products, by a preliminary partial concen-
tration or by addition to the natural milk of dried milk. Rapid
increase of acidity and a more definite taste of the product were
attained with a concentration of dry residue equal to 12-13% in the
case of fat-free products, and of 14-15 and 18%, respectively, in the

Card 1/2

USSR/Chemical Technology. Chemical Products and Their Application -- Food industry,
I-28

Abst Journal: Referat Zhur - Khimiya, No 2, 1957, 6621

Abstract: case of reduced-fat and whole-fat products. Use of a Bulgarian bacillus inoculum imparts a pleasant, sharp taste to the product, similar to that of yoghurt, and yields a product of delicately soft consistency when dry milk is used. Inoculum of mixed cultures (25% acidophilic bacillus and 75% Bulgarian bacillus) impart to the product a slight viscosity while preserving the sharp taste. Addition of 7% of beet sugar renders the sharp taste milder and reduces the aftertaste of salts and dry milk.

Card 2/2

15 94-17058713, Ye.
BONDARENKO, V.; KALINOVSKAYA, Ye.

Selection and training of personnel should be equal to the new tests.
Den.1 kred. 15 no.9:44-48 8 '57. (MIRA 10:10)

1. Nachal'nik otdela kadrov Ukrainskoy respublikanskoy kontory Gosbanka (for Bondarenko).
 2. Nachal'nik sektora kadrov Chuvashskoy respublikanskoy kontory Gosbanka (for Kalinovskaya).
- (Banks and banking)

(Handwritten: RUDAKOV, G.A.; KALINOVSKAYA, Y.A.)
RUDAKOV, G.A.; KALINOVSKAYA, Y.A.

Equilibrium between liquid and vapor in binary solutions of
camphene - acetic acid and isobornyl acetate - acetic acid.
Gidroliz. i lesokhim. prom. 10 no.2:8-10 '57. (MLRA 10:5)

1. Tsentral'nyy nauchno-issledovatel'skiy lesokhimicheskiy
institut.

(Camphene) (Acetic acid) (Acetates)

RUDAKOV, G.A.; KALINOVSKAYA, Ye.A.

Catalytic conversions of terpenes. Part 10: Heats of isomerization of camphene to tricyclene and Wagner rearrangement during the conversion of camphene hydrate to isoborneol. Zhur. org. khim. 1 no.7:1199-1205 J1 '65.

(MIRA 18:11)

1. Institut nefte- i uglekhimicheskogo sinteza Irkutskogo gosudarstvennogo universiteta.

KALINOYSKAYA, Ye.A.; HUDAKOV, G.A.

Studies in the field of the saponification of borneol and isoborneol esters. Report No.1: Kinetics of the alkali saponification of borneol and isoborneol esters in alcohol-water solutions. Gidroliz.i lesokhim.prom. 13 no.4:1-3 '60. (MIRA 13:7)

1. Irkutskiy institut organicheskoy khimii Sibirskogo otdeleniya AN SSSR.

(Borneol) (Isoborneol) (Saponification)

KALINOVSKAYA, Ye.^G

Electrocardiographic indices in burns. Vrach.delo no.11:145-147
N 62. (MIRA 16:2)

1. Kafedra terapii (zav. - prof. T.T. Glukhen'kiy) i kafedra
khirurgii (zav. - prof. A.A. Fedorovskiy) ppidiatricheskogo
fakul'teta Kiyevskogo meditsinskogo instituta.
(ELECTROCARDIOGRAPHY) (BURNS AND SCALDS)

SOKOLOV, Vladimir Vladimirovich; KALINOVSKAYA, Ye., nauchn.
red.; LAGUTINA, Ye.V., red.; MAKITIN, I.T., tekhn.red.

[Metals and plastics in surgery] Metally i plastmassy v
khirurgii. Moskva, Izd-vo "Znanie," 1963. 31 p. (Narodnyi
universitet kul'tury: Fakul'tet zdorov'ia, no.9)
(MIRA 16:12)

(SURGICAL INSTRUMENTS AND APPARATUS)

KALINOVSKAYA, Ye.G.; VASIL'YEVA, R.V.

Some data on the study of the functional state of the kidneys
in elderly and senile persons with moderate clinical manifesta-
tions of general atherosclerosis; preliminary report. Vop. geron.
i geriat. 4:213-217 '65. (MIRA 18:5)

1. Institut gerontologii AMN SSSR, Kiev.

KALINOVSKAYA, L. N.

"Ankle Fractures and Their Treatment."

Thesis for degree of Cand. Medical Sci.

Sub. 26 Sep 50, Central Inst for the Advance

Training of Physicians.

Summary 71, 4 Sep 52, Dissertations presented
for Degrees in Science and Engineering in Moscow
in 1950. From Vechernyaya Moskva, Jan-Dec 1950.

KALINOVSKAYA, YE. N.

Fractures

Fractures; first aid and therapy. Med. sestra No. 5, 1952.

Monthly List of Russian Accessions, Library of Congress, August, 1952. UNCLASSIFIED

KALINOVSKAYA, Ye.N., kandidat meditsinskikh nauk; PETROV, B.A., professor, direktor;
TARASOV, M.M., zasluzhennyy vrach, direktor.

Intracaseous transfusion of blood and of medicinal liquids. Sov.med. 17
no.9:25-26 S '53. (MLRA 6:9)

1. 2-ya khirurgicheskaya klinika Instituta im. Sklifosovskogo (for Petrov
and Kalinovskaya). 2. Institut im. Sklifosovskogo (for Tarasov).
(Blood--Transfusion) (Injections) (Anemias)

KALINOVSEKAYA, Yo.N., kandidat meditsinskikh nauk; VYSOTSKAYA, K.P., dotsent (Omsk).

Letter to the editor. Vest.khir. 73 no.3:63-65 My-Je '53. (MLA 6:6)
(Transplantation (Physiology)) (Fractures)

KALINOVSKAYA, YU. N.

DITMAN, Yu.

"Ankle fractures and their treatment." N.N.Kalinovskaya. Reviewed
by Yu.Ditman. Vest.khir.74 no.7:87-89 O-M '54 (MLRA 8:10)
(ANKLE--FRACTURES) (KALINOVSKAYA, N.N.)

KALINOVSEKAYA, Ye.N.

Some features of the clinical picture of Kachin-Beck's disease
in endemic foci; data of the Urov research station for 1952-1954.
Pediatriia 36 no.9:42-48 D '58 (MIRA 11:11)
(OSTEOARTHRITIS,
deformans endomica, early features (Rus))

STANISLAVLEVA, Ye.N.; KALINOVSKAYA, Ye.N.; OUR'YAN, L.V. (Moskva)

Achievements and the immediate tasks of surgery in the treatment of
osteoarticular tuberculosis. Zdrav.Ros.Feder. 3 no.7:34-37 J1 '59.

(MIRA 13:1)

(JOINTS--TUBERCULOSIS)

(SURGERY)

KALINOVSKAYA, Ye.N., starshiy nauchnyy sotrudnik

"Tietze's syndrome". Khirurgiya 35 no. 5:31-34, My '59.

(MIRA 13:10)

1. Iz Moskovskogo gosudarstvennogo nauchno-issledovatel'skogo
instituta tuberkuleza (zav. otdeleniyem - dotsent K.Y.
Pokotilov [deceased], zamestitel' direktora po nauchnoy chasti -
prof. D.D. Aseyev, dir. - kand. med. nauk V.F. Chernyshev)
Ministerstva zdravookhraneniya RSFSR.
(RIBS--DISEASES)

KALINOVSKAYA, Ye.N., -kand.med.nauk

Causes of crippling in children with tuberculosis of the spine complicated by compression of the spinal cord. *Pediatrics* no.10: 40-44 '61. (MIRA 14:9)

1. Iz kostnokhirurgicheskogo otdeleniya (rukovoditel' - doktor med.nauk Ye.N. Stanislavleva) Moskovskogo gosudarstvennogo nauchno-issledovatel'skogo instituta tuberkuleza Ministerstva zdravookhraneniya RSFSR (dir. - kand.med.nauk V.F. Chernyshev). (SPINE—TUBERCULOSIS) (CRIPPLED CHILDREN)

KALINOVSKAYA, Ya. N.

Blood supply to the vertebrae and disks in fetuses and in newborn infants. Khirurgiia 38 no.5:34-38 My '62. (MIRA 15:6)

1. Iz kostno-khirurgicheskogo otdeleniya Instituta tuberkuleza (dir. V. G. Chernyshev) Ministerstva zdavookhraneniya RSFSR. Nauchnyy rukovoditel' raboty - chlen-korrespondent AMN SSSR prof. B. V. Ognov.

(INTERVERTEBRAL DISK—BLOOD SUPPLY)
(SPINE—BLOOD SUPPLY)

KALINOVSKAYA, Ye.N., kand. med. nauk; BULANOV, V.V.

Primary abdominal pregnancy in a patient with tuberculous
spondylitis. Akush. i gin. 39 no.5:147-148 S-0 '63.

(MIRA 17:8)

1. Iz Instituta tuberkuleza (dir. - kand. med. nauk T.P.
Mochalova) Ministerstva zdravookhraneniya RSFSR i 2-y Gorodskoy
bol'nitsy (glavnyy vrach B.V. Smirnov) Klina.

KALINOVSKAYA, Ye.N., kand. med. nauk

Rib lesions in tuberculous spondylitis. Probl. tuberk. 41 no.4:
44-46 '63 (MIRA 17:2)

1. Iz kostnokhirurgicheskogo otdeleniya (zav. - doktor med. nauk Ye.N.Stanislawleva) Moskovskogo nauchno-issledovatel'skogo instituta tuberkuleza (dir. T.P.Mochalova, zamestitel' direktora po nauchnoy chast' - prof. D.D. Aseyev) Ministerstva zdravookhraneniya RSFSR.

STANISLAVLEVA, Yekaterina Nikolayevna; KALINOVSKAYA, Ye.N., red.

[Surgery in tuberculous coxitis] Khirurgiia tuberkuleznogo
koksita. Moskva, Meditsina, 1965. 166 p. (MIRA 18:4)

KALINOVSKAYA, ZDUNOVA, Maria.

POLAND/Cultivated Plants - Fodder.

M.

Abs Jour : Ref Zhur - Biol., No 4, 1958, 15691

Author : Maria Kalinovskaya-Zdunova

Inst :

Title : Bird's Foot Trefoil as a Field Crop.
(Lyadvenitsrogiyy kak polevaya kul'tura).

Orig Pub : Flon. 1957, No 5, 10.

Abstract : No abstract.

Card 1/1

KALINOVSKIY, A., inzhener.

Building laboratory. Stroitel' 2 no.6:24 Ja '56.
(Engineering laboratories)

(MIRA 10:1)

KALINOVSKIY, A.

Our work experience. Den.i kred. 14 no.1:18-26 Ja '56.

(MLRA 9:5)

1. Upravlyayushchiy Rogachevskim otdeleniyem Gosbanka Gomel'skoy oblasti BSSR.

(Rogachev District--Banks and banking)

KALINOVSKIY, A.B.

Aerological characteristics of the free atmosphere over Moscow
based on data of sounding balloons, 1930-1936. Trudy NIU. Ser.2.
no.24:63-132 '47. (MLRA 7:7)

(Moscow--Meteorology--Observations) (Meteorology--Observa-
tions--Moscow) (Balloons, Sounding)

KALENKOVA, L.B.

"The Radiosonde Methods" Aerologiya 1950 U-1827

MLINOVNIK, I.B.; FEUD, M.P.

"Tables 7 and 8 Sections 27, 28, and 29 of the Book "Aerology",
Which Deal With Pilot Balloon Observations" Aerologiya 1950 U-1875

KALINOVSKIY, A. B.

PHASE I

TREASURE ISLAND BIBLIOGRAPHICAL REPORT

AID 278 - I

BOOK

Call No.: AF610838

Authors: KALINOVSKIY, A. B. and PINUS, N. Z.

Full Title: AEROLOGY (METHODS OF AEROLOGICAL OBSERVATIONS)

Transliterated Title: Aerologiya (Metody aerologicheskikh nablyudeniy)

Publishing Data

Originating Agency: None

Publishing House: Hydrometeorological Publishing House (GIMIZ)

Date: 1951

No. pp.: 452

No. of copies: 8,000

Editorial Staff

Editor: Selezneva, Ye. S.

Tech. Ed.: None

Editor-in-Chief: None

Appraiser: None

Text Data

Coverage: The book is a compilative work, as may be concluded from the voluminous references. It covers information on conventional and well-known principles of aerological work, and stresses the practical point of view. It is interesting because in addition it describes some instruments of new types made in the USSR and some new methods of observation and of processing observations. In the abstract of the table of contents these new items are those which are followed by the designation of corresponding pages of the book. In its scope the book presents a well-planned reference guide on the investigation of the free atmosphere.

ELIYEVSKIY, A.D., SMUT, V.T.

U-1862

"Measurement of Air Currents; Pilot Balloon Method" Aerologiya 1952

KALINOVSKIY, A. B.

PA 237T76

USSR/Geophysics - Aerology

Dec 52

"Review of A. B. Kalinovskiy and I. Z. Pinus's
Book, 'Aerology'," Prof V. A. Belinskiy, Dr Phys-
Math Sci, Moscow

"Meteorol i Gidrol" No 12, pp 57-61

Book was published by the Hydromet Press, Lenin-
grad. 1951; authorized by Ministry of Higher Edu-
cation as a textbook for hydromet students. Re-
viewer calls it a poor book.

237T76

KALINOVSKIY, A. B.

Translation from: Referativnyy zhurnal, Geografiya, 1957, Nr 6,
p 49 (USSR) 14-57-6-12003

AUTHORS: Kalinovskiy, A. B., Sopots'ko, Ye. A.

TITLE: Certain Empirical Laws of Wind Distribution in the
Lower Atmospheric Layer (O nekotorykh empiricheskikh
zakonomernostyakh raspredeleniya vetra v nizhnem sloye
atmosfery)

PERIODICAL: Sbornik trudov (Leningr. gidrometeorol. in-t), 1954,
Nr 3, pp 59-64

ABSTRACT: Bibliographic entry
Card 1/1

Comparison is made between wind velocity in the low atmosphere, obtained by means
of balloon pilot observations at Pavlovo Aerological Observatory, with computed values
of geostrophic wind. The results pertain to anticyclonic circumstances. The relation-
ship between the actual and geostrophic wind velocity is linear and of 0.67 ratio.
(RZhFiz, No 10, 1955)

KALINOVSKIY, Aleksandr Boleslavovich; PINUS, Naum Zinov'yevich. Prinimal uchastiye SHMETER, S.M.; STEPANENKO, V.D., otv. red.; ZABRODSKIY, G.M., otv. red.; VLASOVA, Yu.V., red.; BRAYNINA, M.I., tekhn. red.

[Aerology] Aerologiya. Leningrad, Gidrometeor. izd-vo. Pt.1.
[Methods of aerological measurements] Metody aerologicheskikh
izmerenii. 1961. 517 p. (MIRA 15:2)
(Meteorology—Observations)

1. KALINOVSKIY, A. F., Engineer
2. USSR (600)
4. Building Material - Testing
7. New machine for testing building materials. Stroi. prom. 30, No. 4, April 1952. VNIOMS
9. Monthly list of Russian Accessions, Library of Congress, August 1952, UNCLASSIFIED

KALINOVSKIY, A.F.

[Organization of laboratories in the construction industry] Organizatsiia
stroitel'nykh laboratorii. Moskva, Gos. izd-vo lit-ry po stroitel'stvu i
arkhitekture, 1953. 171 p. (MLBA 6:10)
(Construction industry) (Engineering laboratories)

L 23704-66 EWT(1) SCTB DD

ACC NR: AT6003856

SOURCE CODE: UR/2865/65/001/000/0217/0226

AUTHOR: Kostikova, V. Ya.; Bayevskiy, R. M.; Kalinovskiy, A. P.;
Soshin, B. A.

ORG: none

TITLE: Possible application of electronic logical circuits for automatic medical control

SOURCE: AN SSSR. Otdeleniye biologicheskikh nauk. Problemy kosmicheskoy biologii, v. 4, 1965, 217-226

TOPIC TAGS: bioastronautics, bioinstrumentation, biotelemetry, automatic control system, logic circuit, *electronic circuit*

ABSTRACT: Space flights of longer duration and covering greater distances will sharply reduce telemetric transmission of medical and biological data. This leads to the problem of developing on board automatic medical control devices for monitoring data on the astronaut's condition. For space flights along established orbits which do not require readjustment of programmed instructions during course of flight, electronic logic circuits are satisfactory because of their simple design, low weight and small size. The algorithm of analysis for each

Card 1/3

L 23704-66

ACC NR: AT6003856

Sensors

Pulse rate
Respiration rate
Body temperature
Electric resistance of skin
Level of consciousness
Level of motor activity
Carbon dioxide level
Oxygen level
Temperature




Fig. 6. Block diagram of an electronic logical system for automatic medical control.

Card 2/3

L 23704-66

ACC NR: AT6003856

of the indices (such as, body temperature) includes three operations: (1) measurement of the index during a given interval of time; (2) comparison of the index value with the norm range in the form of symbols, e.g., designating normal by "N", or "+" for higher than normal, or "-" for lower than normal; and, (3) comparison of symbols of different parameters according to a given logical system and determination of a code indicating a "diagnosis." (see Fig. 6). All problems of automatic diagnosis in which linear programming is applicable can be solved by electronic logic circuits. Orig. art. has 6 figures and 1 table.

SUB CODE: 06, 09/ SUBM DATE: none/ ORIG REF: 001.

Card 3/3 FV

KALINOVSKIY, A. V.

Cand Agr Sci, Diss -- "Accumulation and decomposition of perennial grass wastes and their effect on the composition and properties of soil". Gorki, 1961. 23 pp, 21 cm (Min of Agr BSSR. White Russian Sci Res Inst of Agr), 100 copies, Not for sale (KL, No 9, 1961, p 186, No 24389). /61-53030/

KALINOVSKIY, G

N/5
727.61
.KI

Sostoyaniye molochnoy promyshlennosti SSSR v predvoyenny i poslevoyenny period (The position of the Soviet milk industry in the prewar and postwar periods) Myunkhen, 1955.

112 p. Tables (Institut po Izucheniyu Istorii i Kul'tury SSR. Issledovaniye i materialy seriya 2 (Rotatornyye izd) no. 27)

Bibliographical footnotes.

Resumes in English, German and French.

KALINOVSKIY, Grigoriy Akimovich, 1913

Dairy industry of the USSR before and after the War.
Munkhen, 1955. 107 p. (Institute for the study of
the history and culture of the USSR. Issledovaniia
i materialy, ser. 2, no. 27)

SHAL'NOV, V.A.; MESHCHERYAKOV, A.V.; KALINOVSKIY, L.D.; BARMIN, B.P.

New method for finish machining of parts made of nonmagnetic materials. Stan.i instr. 34 no.7:20-22 JI '63. (MIRA 16:9)
(Grinding and polishing)

KALINOVSKIY, M.A.

Unified plan for bookkeeping in river transportations. Proizv.-tekhn.
sbor. no.4:80-82 '59. (MIRA 13:10)

1. Tsentral'naya bukhgalteriya Ministerstva rechnogo flota.
(Inland water transportations--Accounting)

RUSINOV, A.A.; VOSKOBOYNIKOV, V.N.; DUBINKO, T.P.; ILYUSHIN, V.I.;
VRUBLEVSKAYA, F.L.; BUNCHUK, M.I.; RYABEN'KIY, L.M.; MARGOLIN,
D.I.; SAZYKINA, K.V., kand.ekon.nauk; BUGAREVICH, V.S.;
KUPTSOVA, V.A.; KALINOVSKIY, M.D.; MELESHKEVICH, O.A.;
TYABUT, M.A., red.; LAZARCHIK, K., red.; KALECHITS, G.,
tekhn.red.

[Reference book on the establishment of work norms on collective farms] Spravochnik po normirovaniu truda v kolkhosakh. Minsk, Gos.izd-vo BSSR, Red.sel'khoz.lit-ry, 1960. 151 p.

(MIRA 14:3)

1. Akademiya sel'skokhozyaystvennykh nauk BSSR. Institut ekonomiki. 2. Institut ekonomiki i organizatsii sel'skokhozyaystvennogo proizvodstva Akademii sel'skokhozyaystvennykh nauk BSSR (for Voskoboynikov, Dubinko, Ilyushin, Vrublevskaya, Bunchuk, Bugarevich, Kuptsova, Kalinovskiy). 3. Starshiy inspektor Upravleniya po orgkolhoznyam delam Ministerstva sel'skogo khozyaystva BSSR (for Meleshkevich).

(Agriculture--Production standards)

KALINOVSKIY, N.F.; YAKOVLEV, N.I.

Tractors with 0.6-ton pulling capacity. Biul.tekhn.-ekon.inform. no.9:
56-60 '60.

(Tractors)

(MIRA 13:10)

ACC NR: AP6035917

SOURCE CODE: UR/0413/66/000/020/0163/0163

INVENTOR: Bogdanov, S. A.; Kaloyev, A. V.; Makeyev, A. D.; Shipilevskiy, G. B.;
Ponomarev, V. I.; Simonov, L. P.; Soshnikov, A. A.; Kalinovskiy, N. F.; Vaynshteyn,
L. A.; Pann, L. A.; Kudal'skiy, V. A.; Skrypnik, I. A.

ORG: none

TITLE: Device for automatic control of a wheeled vehicle. Class 45, No. 187433
[announced by the State Union Scientific Research Tractor Institute (Gosudarstvennyy
soyuznyy nauchno-issledovatel'skiy traktorny institut); Khar'kov Tractor Plant
(Khar'kovskiy. L'vovskiy zavod)]

SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 20, 1966, 163

TOPIC TAGS: agricultural machinery, ~~automatic control~~, automatic control ^{equipment}
tractor, ~~motor vehicle~~

ABSTRACT: An Author Certificate has been issued for a device for the automatic
control of a wheeled vehicle, which includes a duplicating feeler, a feeler-deflec-
tion transducer, an electric gate valve, and a hydraulic steering-gear amplifier. To
simplify the changeover to and from automatic control, it is equipped with a three-
way cock with a handle. The cock's input is connected to a pump, one of its outputs
is connected to a distributing hydraulic amplifier, and its second output is connected

Card 1/2

UDC: 631.36:629.114.2-52

ACC NR: AP6035917

to the electric gate valve. In order to smoothly change the rpm, between the pump and the cock's input is mounted a throttle. Orig. art. has: 1 figure.

SUB CODE: 13/ SUBM DATE: 30Dec65/

Card- 2/2

KALINOVSKIY, N.F., LEVITANUS, A.D.; KHODULIN, Yu.A.; CHICHEV, Yu.I.,
red.; GREBSOV, P.I., red.

[DT-20 tractor] Traktor DT-20. Moskva, Kolos, 1965. 254 p.
(MIRA 18:8)

KALINOVSKIY, N.N., kandidat tekhnicheskikh nauk.

Efficient processes for turbine blade production. Vest.mash.35
no.9:27-32 S '55. (MLRA 9:1)

(Blades)

SIMAKOVSKIY, A.P., inzhener; KALINOVSKIY, N.N., kandidat tekhnicheskikh nauk.

Foreign achievements in the productions of heat resistant steels
and problems involved in the use of these steels for ship mechanisms.
Sudostreemie '22 no.1:29-35 Ja '56. (MIRA 9:7)
(Steel alloys--Testing) (Marine engineering)

KALINOVSKIY, N.N., kandidat tekhnicheskikh nauk,

Manual on heat-resistant steels for designers of marine power installations. (Manual on properties of steels used for the construction of boilers and turbines" L.I.A. Liberman, M.I. Pesikhis. Reviewed by N.N. Kalinovskii), Sudostroenie 22.no.9:41-42 8 '56. (MIRA 10:1)

(Heat resistant alloys)

(Liberman, L.I.A.)

(Pesikhis, M.I.)

KALINOVSKIY, N.N., kand.tekhn.nauk; SHALAGIN, A.D., inzh.; SKLYAREVSKIY, N.P.,
inzh.

Testing of airtight chloroprene rubber coatings during the operation
of the condenser of a sea water cooled thermal electric power plant.
Energomashinostroenie 9 no.9:32-35 S '63. (MIRA 16:10)

KALINOVSKIY, N. N.

AUTHOR: Iyev, D. D.
TITLE: Conference on Sustained Static Strength of Turbine Components Working at High Temperatures (Soveschaniye po dilitel'noy staticheskoy prochnosti detalей turbomashin, rabotayushchikh pri vysokoy temperature)
PERIODICAL: Investitsiya Akademii Nauk SSSR, Otdeleniye Tekhnicheskikh Nauk, 1976, No. 4, pp. 149 - 150 (USSR)
ABSTRACT: The Commission on the Strength of Gas Turbines from the Institut Mekhaniki AN SSSR (Institute of Mechanics of the A.S. USSR) (Chairman - Yu. M. Rabotnov) and the Strength Section of the Leningrad Technical Committee on Turbine Construction (Chairman - V. K. Naumov) held a conference during November 20-22, 1975 on the sustained static strength of turbine components working at high temperature.

Conference on Sustained Static Strength of Turbine Components Working at High Temperatures
 SOV/24-56-4-31/39

G. A. Tulyayev (Tashkent) described the results of an experimental investigation of creep in the boiler steel in the 900°C range under complex stress conditions. N. N. Kalinowski (Tashkent) gave a paper on investigation of deformation and sustained strength of tubes containing results on the study of creep under complex stress conditions. A. A. Merzhanov (Tashkent) gave a paper on "Calculation of the 'fir-tree' blades of gas turbine in the creep deformation region." J. M. Kachary (Leningrad) gave a paper on "Investigation of creep under initial plastic deformation with a view to calculating the deformation state of components made from special heat-resistant steels." Yu. M. Rabotnov (Moscow State University, Institut Mekhaniki AN SSSR - Institute of Mechanics of the A.S. USSR) described the results of theoretical and experimental investigations in unsteady creep under complex stress conditions. He stated that there now exists a theory, agreeing satisfactorily with experimental data, which permits the calculation of the stress and deformation state in turbine blades operating at high temperatures. In addition he has developed a method of calculation for investigating sustained strength and creep of heat-resistant alloys under complex stress conditions and numerical calculations. Results have been obtained with this theory for the case of the nature of loading of components working at high temperatures. B. V. Serchen (Tashkent) gave a paper "On Constructional Factors of Sustained Static Strength" which described results obtained on low-power turbine equipment. The paper of N. N. Kalinowski dealt with the bearing capacity of turbine rotors. Many participants took part in an extensive discussion of work in the field of strength of gas turbines.

Card 5/7

KALINOVSKIY, N.V., kand. tekhn. nauk

Application of experience in the sealing of condensers of stationary
turbines in shipbuilding. Sudostroenie 26 no.9:25-30 S'60. (MIRA 13:10)
(Boilers, Marine) (Sealing(Technology))

KODOLBENKO, D.V., agronom (Belgorodskaya oblast'); KALINOVSKIY, N.V.,
agronom (Belgorodskaya oblast'); AGARKOV, P.D., agronom
(Belgorodskaya oblast'); YAKOVLEV, V.

New discoveries break the old stereotypes. Zemledelie 26
no. 4:88-89 Ap '64. (MIRA 17:5)

L 2762-66 EWT(d)/EWI(m)/EPF(c)/EWP(v)/EWP(j)/I/EWP(k)/EWP(h)/EWP(l) MW/RM

ACCESSION NR: AP5021582

AUTHORS: Dudnikov, Yu. V.; Kalinovskiy, N. V.

UR/0286/65/000/013/0054/0054

666.96:668.395

678.029.5(088.0)

TITLE: Device for determining by a tearing method the bonding strength and defects of cementing sheet rubber with metal. Glass 22, No. 172442

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 13, 1965, 54

TOPIC TAGS: rubber, stripping test, metal bonding

ABSTRACT: This Author Certificate presents a device for determining the bonding strength and defects of cementing sheet rubber with metal by a tearing method, including an accommodation for tearing the rubber. To determine the defects of cementing sheet rubber with metal under factory conditions, the accommodation for tearing the rubber is in the form of a lever in which are mounted a dry cell, a control electric circuit, and a spring-loaded cylinder, which forms a vacuum with its motion downward on a piston (see Fig. 1 on the Enclosure). The piston shaft is attached at the lower part to the case of the device and is in the form of a sleeve with a flat contact spring and a regulating valve. The valve is attached to the center part of the contact spring and is located under the spherical surface of the bushing. Orig. art. has: 1 diagram.

Card 1/3

L 2762-66

ACCESSION NR: AP5021582

ASSOCIATION: Organizatsiya gosudarstvennogo komiteta po sudostroyeniyu (Organiza-
tion of the State Committee for Shipbuilding) 44,55 3

SUBMITTED: 23Mar64

ENCL: 01

SUB CODE: IE, MT

NO REF SOV: 000

OTHER: 000

Card 2/3

L 2762-66

ACCESSION NR: AP5021582

ENCLOSURE: 01




Fig. 1.

1- base of lever frame; 2- dry cell; 3- control electric lamp;
4- spring-loaded cylinder; 5- piston; 6- shaft; 7- case;
8- contact; 9- bushing; 10- flat contact spring; 11- regulating
valve

Card 3/3

SHOSTAKOVSKIY, M.F.; RABINOVICH, M.S.; LEVITOV, M.M.; VERKHOVTSEVA, T.P.;
PREOBRAZHEMSKAYA, Ye.V.; KULIKOVA, G.N.; KALINOVSKIY, O.A.

Synthesis of the precursors and fragments of antibiotics. Part 4:
Thioglycolic acid derivatives. Zhur.ob.khim. 31 no.5:1453-1458
My '61. (MIRA 14:5)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut antibiotikov.
(Acetic acid) (Antibiotics)

GOL'DFARB, Ya.L.; IBRAGIMOVA, M.B.; KALINOVSKIY, O.A.

Synthesis of amino sulfides of the thiophene series. Izv.AN
SSSR.Otd.khim.nauk no.6:1098-1102 '62. (MIRA 15:8)

1. Institut organicheskoy khimii im. N.D.Zelinskogo AN SSSR.
(Thiophene) (Mercapto compounds) (Amino group)

RYASHENTSEVA, M.A.; MINACHEV, Kh.M.; KALINOVSKIY, O.A.; GOL'DFARB, Ya.L.

Reduction of azomethines of the thiophene series on rhenium hepta-sulfide. Zhur. org. khim. 1 no.6:1104-1108 Je '65. (MIRA 18:7)

1. Institut organicheskoy khimii imeni Zelinskogo AN SSSR.

21 (5)

Page 4 of 10

50

Всероссийская научно-техническая конференция по применению радиодиагностики и аттестации объектов и аппаратуры в народном хозяйстве и на море. Москва, 1957.

Study... Machines-Ovenye i prirosto-Ovenye (transmitters of the All-Union Conference on the Use of Radioactive and Electric Isotopes and Radiation in the National Economy and Science, Machine and Instrument Manufacturing) Moscow, Izd-vo AN SSSR, 1958. 169 p. 3,500 copies printed.

Sponsoring Agencies: USSR, Otkrytoye upravleniye po ispol'zovaniyu
atomnoy energii, and Akademiya nauk SSSR.

Editorial Board of Set: V.I. Dikushin, Academician (Resp. Ed.), M.M. Shumilovskiy (Deputy Resp. Ed.), Yu. S. Zaslavskiy (Deputy Resp. Ed.), L.L. Itchenko, B.I. Vorkhovskiy, B.N. Nazarov, L.I. Petukhov and M.O. Zeleninskaya (Secretary).

Ed. of Publishing House: P.M. Bel'yanin; Tech. Ed.: T.P. Polenkova.

PURPOSE: This book is intended for specialists in the field of machine and instrument manufacture who use radioactive isotopes in the study of materials and processes.

COVERAGE. This collection of papers covers a very wide field of the utilization of tracer methods in industrial research and control technology. The topic of this volume is the use of radioisotopes in the machine and instrument-manufacturing industry. The individual papers discuss the applications of radioisotope techniques in the study of processes and alloys, problems of friction and lubrication, metal cutting and its performance, and defects in metals. Several papers are devoted to the use of radioisotopes in the automation of industrial processes, the use of radioisotopes in the maintenance of industrial processes, level measuring and measuring devices, quality control, flowmeters, level control, safety devices, radiation counters, etc. These papers represent the activity of various Soviet institutes and laboratories. They were published as Transactions of the All-Union Conference on the Use of Radioisotopes and Stable Isotopes and Radiation in the National Academy of Sciences, April 9-12, 1957. No personalities are mentioned. References are given at the end of most of the papers.

Rudin, A.I. (Khar'kovsky aviatsionnyy institut - Khar'kov Aviation Institute). Study of the Wear of Parts in Fuel Supply Systems of Aircraft Engines

77
Vyatskiy, D. I., G. I. Beloglasov, V. I. Golov, V. P. Karnobayev, and Yu. G. Kochalov (Translating any name into its phonetic, easily assimilable, and easily pronounceable form) - Central Scientific Research Institute for Automobiles and Automobile Engines, Mobile Road-Test Laboratory for the Study of the Wear of the Engine

English title: The Type of Air Filter on the Wear of Piston Rings in Engines
Azerbaydzhanskiy nauchno-issledovatel'skiy institut po avtomobilyam - Azerbaijan Scientific Research Institute for Petroleum Refining. Apparatus for the Study of Film Formation on Piston Surfaces

Malinovsky, O. Ye. (General'sky naučno-issledovatel'skiy tsentr
'Vys'nyy Institut - Central Research Institute', Scientific
Center for the Measurement of Radioactivity in Liquids

Kasakov, M.P. (Institut mashinovedeniya AN SSSR -- Institute of Mechanical Engineering, Academy of Sciences, USSR). Research on Metal Cutting

Lezd'mik, B.B. (Institut mashinovedeniya AN SSSR - Institute of Mechanical Engineering, Academy of Sciences, USSR). Study of the Wear of Hard-alloyed Cutting Tools

Fetokov, G.M. (Belorusskiy politekhnicheskii institut - Belorussian Polytechnical Institute). Study of the Wear of Cutting Tools

105C1,

S/112/60/000/006/017/032

Translation from: Referativnyy zhurnal, Elektrotehnika, 1960, No. 6, pp. 264-265, # 4.4961

AUTHOR: Kalinovskiy, O. V.

TITLE: The Scintillation Device of TsNIDI for Measuring the Radioactivity of Liquids 19

PERIODICAL: V sb.: Primeneniye radioakt. izotopov pri issled. dvigateley vnutr. sgoraniya. (TsNIDI, 35) Moscow, 1958, pp. 28-34

TEXT: After outlining briefly the history of the development of scintillation counters, the author discusses in detail an installation designed for measuring the radioactivity of wear products of parts contained in an engine oil specimen. The oil to be tested is poured into a vessel which is placed into a sectional lead container. An NaI (Tl) crystal is placed into the center of the oil specimen. The "ФЭУ-19" (FEU-19) photomultiplier, connected to a cathode follower, is used in the counter. Pulses from the cathode follower output are fed to a 3-stage wide-band amplifier (K-100) and then to a dark background discriminator. The pulses are counted by the "ИC-64" (PS-64) scaler with an

Card 1/2

S/112/60/000/006/017/032

The Scintillation Device of TsNIDI for Measuring the Radioactivity of Liquids
electromechanical counter. Besides, a connection to the "Fialka" device is
possible. The "BC3-2500" (VSE-2500) rectifier is used for feeding the photo-
multiplier. At a directed γ -radiation (the energy of quanta is 1 Mev), the
efficiency of the installation is 27%, the maximum counting rate is 6,000 pulse/
min. Comparative tests have shown that the sensitivity of the scintillation
counter is 7 times higher than that of a device with a Geiger-Müller counter. ✓

V. P. R.

Card 2/2

MOISEYEV, S., inzh.po tekhnike bezopasnosti; KALINOVSKIY, P., mekhanik;
 SHALOMOV, B., yuriskonsul't; TALANOVA, N., inzh.po tekhnike
 bezopasnosti; BYCHKOVA, I., inzh.; VORONOV, A., elektrik; SOKOLENKO,
 N.; KUTUZOV, P.; TOPYRIK, P., pensioner; FEDYUKOV, G., inzh.po
 tekhnike bezopasnosti; CHECHETKIN, A.; KLIMENT'YEVA, Ye.

Those, who serve us. Okhr. truda i sots. strakh. 3 no.7:52-53 J1
 '60. (MIRA 13:8)

1. Beydovaya brigada. 2. Moskhladokombinat imeni Mikoyana (for Moiseyev).
3. Upravleniye Mosgorplodoovoshch (for Kalinovskiy).
4. Tsentral'nyy universal'nyy magazin Voyentorga (for Shalomov).
5. Gosudarstvennyy universal'nyy magazin, Moskva (for Talantova).
6. Obshchestvennyy inspektor okhrany truda Mostorgatroya (for Bychkova).
7. Obshchestvennyy inspektor okhrany truda Mosrybokombi-
 nata (for Voronov).
8. Pravovoy inspektor Moskovskogo gorodskogo
 soveta profsoyuzov (for Sokolenko).
9. Obshchestvennyy inspektor
 okhrany truda kholodil'nika No.1, Moskva (for Kutuzov).
10. Moskovskiy
 rybokombinat (for Fedjukov).
11. Korrespondent gazety "Sovetskaya
 trgovlya" (for Chechetkin).
12. Zaveduyushchaya otdelom profsoyus-
 noy shizni gazety "Sovetskaya trgovlya" (for Kliment'yeva).
13. Spetsial'nyy korrespondent zhurnala "Okhrana truda i sotsial'-
 noye strakhovaniye" (for Gromov).

(Warehouses--Safety measures)
 (Retail trade--Safety measures)

KALINOVSKIY, R.S. [Kalynovs'kyi, R.S.]

Time norms and fuel consumption in operating the T-38M tractors.
Mekh. sil'. hosp. 14 no.8:20-21 Ag '63. (MIRA 17:1)

1. Direktor Vinnitskoy zonal'noy normativno-issledovatel'skoy
stantsii.

KALINOVSKIY, V.I., inzh.; KISILIYER, M.I., inzh.; PERMYASIAVTSEV,
M.A., inzh.

Precast reinforced concrete trestles of fuel-feed
arrangements. Energ.stroi. no.15:17-20 '59.

(MIRA 13:8)

1. Kiyevskoye otdeleniye instituta "Teploelektroproyekt."
(Precast concrete construction)
(Trestles)

KALINOVSKIY, V. P. : FRIDMAN, I. I.

Lumber - Transportation

Automotive haulage of full length in the Irbit lumber camp. Les. prom. 11 no. 7, 1951.

9. Monthly List of Russian Accessions, Library of Congress, December, 1952, ~~1953~~ 1953. Unclassified.

KALINOVSKIY, V.P., dotsent, nauchnyy red.; SERENIKINA, N.F., tekhn.red.

[Advanced practices and possibilities for increasing labor productivity; materials of the conference of Sverdlovsk Province workers in lumbering, woodworking and wood processing industries] Peredovye metody raboty i rezervy povysheniya proizvoditel'nosti truda; po materialam Sverdlovskoi oblastnoi nauchno-tekhnicheskoi konferentsii rabotnikov lesnoi, derevoobrabatyvayushchey i lesokhimicheskoi promyshlennosti. Sverdlovsk, TSentr.buro tekhn. informatsii, 1959. 52 p. (MIRA 14:4)

1. Russia (1917- R.S.F.S.R.) Sverdlovskiy ekonomicheskii administrativnyy rayon. Sovet narodnogo khozyaystva. 2. Ural'skiy lesotekhnicheskii institut (for Kalinovskiy).
(Lumbering) (Woodworking industries)

BARANOV, Yu.B.; BARANOVA, Ye.N.; BOBROVSKIY, V.I.; GRISHCHENKO, G.I.;
GONCHAR, G.V.; DOLBISH, V.S.; ~~KALINOVSKIY, V.S.~~; KARAKOTSKIY, Ye.D.,
KULICHKOV, G.M.; KAGANOVSKAYA, S.M.; LESTEV, A.Y.; MTELEKH, L.I.;
TIKHONRAVOV, V.M. [deceased]; DOLBISH, V.S., spetsred.; KUZ'MINA,
V.S., red.; KISINA, Ye.I., tekhn.red.

[Fishing equipment used in Far Eastern waters] Orudija rybolovstva
Dal'nevostochnogo Basseina. Moskva, Fishchepromizdat, 1958. 214 p.
(MIRA 11:12)

(Soviet Far East--Fishing--Equipment and supplies)

PANICH, S.I.; KARASEV, I.V.; KALINOVSKIY, V.V.

Placing and removing bricks by means of loaders. Stroi. mat.
10 no.7: p.3 or cover. JI '64 (MIRA 18:1)

ACCESSION NR: AP4013316

S/0032/64/030/002/0237/0238

AUTHORS: Ksenzhek, O. S.; Kalinovskiy, Ye. A.; Koshel', N. D.

TITLE: Laboratory electrolyzer for the production of hydrogen

SOURCE: Zavodskaya laboratoriya, v. 30, no. 2, 1964, 237-238

TOPIC TAGS: hydrogen, hydrogen production, electrolysis, electrolyzer, outlet tube electrode, nickel, powdered nickel, microgranular nickel, amalgamated electrode

ABSTRACT: The main parts of the electrolyzer consist of an electrode, and a cathode which is a flat, round porous nickel box with a cavity inside, provided with an outlet tube for the hydrogen formed during electrolysis. The walls of the box are a multilayered structure of pressed and sintered powdered nickel, the outer layer (approximately 0.5 mm thick) having the finest structure, while the second and third layers are made of macrogranular nickel. The issuing material consists of carbonyl nickel with particle size averaging 5μ . To prepare the macrogranular layer, the fine material is first sintered into agglomerates of $200-250\mu$ which are mixed with ammonium bicarbonates, pressed in a mold at 1.5 T/cm^2 , then sintered for 4 hours while the temperature is brought up to $680-700^\circ\text{C}$. A hole is drilled to the central cavity and a metallic tube welded into it. The porous electrode is then plated with

Card 1/3

ACCESSION NR: AP4013316

copper, followed by amalgamation with mercury. When an electrode with pores 2μ in diameter is in operation, the pressure of hydrogen within the pores amounts to 1 atm, and a continuous flow of hydrogen passes through the tube. The prepared electrodes are mounted in the electrolyzer with solid anodes of nickel. Orig. art. has: 3 figures.

ASSOCIATION: Dnepropetrovskiy khimiko-tekhnologicheskii institut (Dnepropetrovsk Chemical and Technological Institute)

SUBMITTED: 00

DATE ACQ: 26Feb64

ENCL: 01

SUB CODE: CH

NO REF SOV: 000

OTHER: 001

Card 2/3

73-3-18/24

AUTHOR: Kalinovskiy, Ye. A. and Stender, V. V.

TITLE: Electrolysis of Zinc Chloride Solutions. (Elektroliz Rastvorov Khlorigo Tsinka)

PERIODICAL: Ukrainskiy Khimicheskiy Zhurnal, 1957, Vol. 23, No.3, pp. 384-390 (USSR).

ABSTRACT: Contemporary commercial methods of preparing zinc by electrolysis have several drawbacks: the anode is made of lead and of its alloys which are not of suitable quality and are expensive; the anode product (oxygen) is not utilised; the cathodic zinc is peeled off by hand from the aluminium cathodes. The authors investigated the influence of various factors on the current efficiency and the quality of the cathode deposit during the electrolysis of zinc chloride solutions. A diagram of the apparatus used in the experiment is shown in figure 1. The volume of hydrogen liberated on the cathode during a given time is measured and the current efficiency is calculated. The difference between 100% and the yield of hydrogen in % gives the yield of zinc (in %). It is shown that the corrosion of the cathode progresses at a greater rate than the separation of the zinc on the cathode. The effect of

Card 1/3 the concentration of HCl was investigated in the electrolyte

73-3-18/24

Electrolysis of Zinc Chloride Solutions.

the cathode during the electrolysis of zinc chloride solutions were determined. Tests were carried out for electrolysis without using a diaphragm by employing a highly porous graphite anode and an aluminium cathode. There are 7 figures, 1 table and 10 references, 8 of which are Slavic.

SUBMITTED: August, 10, 1956.

ASSOCIATION: Dnepropetrovsk Chemical-Technology Institute,
Electrochemistry Laboratory. (Dnepropetrovskiy Khimiko-
Tekhnologicheskii Institut, Laboratoriya Elektrokhimii)

AVAILABLE: Library of Congress.

Card 3/3

KSENZHEK, O.S.; KALINOVSKIY, Ye.A.; BASKIN, Ye.L.

Conductivity of the electrolyte in porous nickel electrodes.
Zhur.prikl. khim. 37 no. 5:1045-1052 My '64. (MIRA 17:7)

1. Dnepropetrovskiy khimiko-tekhnologicheskii institut.

KSENZHEK, O.S.; KALINOVSKIY, Ye.A.; TSYGANOK, L.P.

Capillary equilibrium in porous media with intersecting pores.
Part 2. Zhur.fiz.khim. 38 no.11:2587-2593 N '64.

(MIRA 18:2)

1. Dnepropetrovskiy khimiko-tehnologicheskii institut.

LENZINK, O.S.; KALINOVSKIY, Yo.A.

Oxidation of hydrogen on a porous nickel electrode. Zhur. prikl.
khim. 37 no.6:1256-1260 Je '64. (MIRA 18:3)

1. Dnepropetrovskiy khimiko-tehnologicheskii institut.

KEENZHEK, G.S.; KALINOVSKIY, Ye. A.; TYBYACHINTY, V.P.

Diffusion and flow of gas through porous nickel electrodes.)
Zhur. prikl. khim. 37 no.12:2619-2624 D '64.

(MIRA 18:3)

KSENZHEK, O.S.; KALINOVSKIY, Ye.A.

Scheme of compensation of ohmic voltage drop in polarization measurements. Ukr. khim. zhur. 31 no.6:640-641 '65. (MIRA 187)

1. Dnepropertovskiy khimiko-tekhnologicheskiy institut.

L 24784-65 EWT(m) Pi-4 RWE
ACCESSION NR: AP4049601

S/C076/64/03B/011/2537/2593

14
13

AUTHOR: Ksenzhek, O. S. (Dnepropetrovsk); Kalinovskiy, Ye. A. (Dnepropetrovsk);
Tsyganok, L. P. (Dnepropetrovsk)

TITLE: Capillary equilibrium in a porous media with intersecting pores. II Dis-
placement of a liquid by a gas in a porous media

SOURCE: Zhurnal fizicheskoy khimii, v. 38, no. 11, 1964, 2587-2593

TOPIC TAGS: porous medium, capillary force, gas displacement

ABSTRACT: The authors found experimentally that gas pressed into a porous medium is distributed nonuniformly because it is opposed by capillary forces. The gas content is the highest near the surface. The penetration is limited at low pressure, at higher pressures it becomes more uniform and more extended. The penetration depends on the structure of the porous body. The displacement data may be used for the determination of the area of the interfacial boundary between the gas and the liquid in a porous media. Orig. art. has: 10 figures and 6 equations.

Card 1/2

L 24784-65

ACCESSION NR: AP4049601

ASSOCIATION: Dnepropetrovskiy khimiko-tekhnologicheskii Institut
(Dnepropetrovsk Chemical-Engineering Institute)

SUBMITTED: 09Aug63

ENCL: 00

SUB CODE: ME

NO REF SOV: 004

OTHER: 001

Card 2/2

MESHCHERYAKOV, A.F., inzh.; PROVODIN, S.S., inzh.; KALINOVSKAYA, Ye.Ya.,
inzh.; SHOLOKHOV, A.N., inzh.; DUMESH, S.Ye., inzh.; SPIRINA,
Ye.I., inzh.; ZATONSKAYA, M.I., inzh.; ZARILOVA, T.A., teknik;
LITINA, L.A., teknik; SHCHERDYUKOV, Ya.I., otv. red.

[Index to an illustrated map of Moscow] Ukazatel' k illiustri-
rovannoi skheme Moskva. Moskva, 1957. 47 p. (MIRA 15:2)

1. Moscow. Arkhitekturno-planirovochnoye upravleniye.
(Moscow--Directories)

P. T. A. KALINOWSKA, A. Chemistry & Chemical Technology

720

547 330 2 - 391.1 07

Kalinowska A Preparation of Acrylonitrile.

„Otrzymywanie nitrilu kwasu akrylowego”. Przemysł Chemiczny.
No 12 1950, pp. 758-765, 5 figs.

A description is given of the preparation of ethylene cyanohydrin and hydrogen cyanide in the presence of basic catalysts, the conditions of the reaction being briefly characterized. An attempt to effect the reaction in gaseous phase in the presence of sodium cyanide as a catalyst produced no results. Ethylene cyanohydrin was dehydrated to acrylonitrile by passing the cyanohydrin vapours over the activated Al_2O_3 .

TURSKA, E.; KROH, J.; KALINOWSKA, A.

Spectrophotometric studies on caprolactam and polycaprolactam solutions in various solvents. Polimery tworzywa wielk 8 no. 7/8: 272-276 J1-Ag'63.

1. Pracownia Chemii Fizycznej Polimerow, Zaklad Syntezy Organicznej, Polska Akademia Nauk, Lodz.

HALIKOWSKI, B.; KALINOWSKA, B.; NAWARECKI, B.; SIKORSKI, S.; WNUK, A.

Functional disorders of renal carbonic anhydrases in so-called cerebral phase of tuberculous meningitis in children; preliminary communication. *Pediat. polska* 31 no.8:859-865 Aug 56.

1. Z Oddziału Pediatrycz. Inst. Gruzlicy, W Sanatorium im. J. Marchlewskiego w Otwocku Kier. prof. dr. med. Fr. Groer, Otwock, ul. Korczaka, 5, Sanatorium im. J. Marchlewskiego.

(TUBERCULOSIS, MENINGEAL, in infant and child,
kidney carbonic anhydrase disord. in (Pol))

(KIDNEYS, metabolism,
carbonic anhydrase, disord. in tuberc. meningitis in
child. (Pol))

(HYDRASES,
carbonic anhydrase, renal disord. in tuberc. meningitis
in child. (Pol))

1ST AND 2ND ORDER												3RD AND 4TH ORDER											
KALINOWSKA, E												A-1											
<p>Excitation of atomic lines in the molecular absorption in Cd vapour. E. KALINOWSKA (Acta phys. polon., 1938, 3, 111-117; Chem. Zvest., 1934, 1, 10).—From the dependence of the intensity of the fluorescence on that of the exciting light it is shown that excitation of Cd atom to the 2^3S state requires two absorption processes by the Cd mol. At approx. 800μ only one is needed. H.J.W.</p>																							
<p>ASME-ISA METALLURGICAL LITERATURE CLASSIFICATION</p>																							
<p>120000 120000</p>																							